

Seem Sweep® 2 Straights

Direct/Indirect Suspended | FSS2S | FSS2BS



FOCAL POINT®



BEFORE YOU BEGIN

- Luminaires must be installed by a qualified electrician (check with local and national codes for proper installation).
- To prevent electrical shock, disconnect electrical supply before installation or servicing.
- Contractor is responsible for adequately reinforcing walls and/or ceilings to support fixture weight.
- Focal Point, LLC accepts no responsibility for inadequately reinforced walls and/or ceilings.
- The information contained in this drawing is the sole property of Focal Point, LLC. Any reproduction in part or whole without the written permission of Focal Point, LLC is prohibited.

INSTRUCTION KEY



ATTENTION



SEE ADDITIONAL INSTRUCTIONS




POWER OFF




POWER ON

COMPONENT KEY


FOCAL POINT




U - Individual



S - Start of Run



I - Intermediate




E - End of Run

Flush Lens


SHIPPED INSTALLED




Reflector Screw
(72026)
(6-32 x 1/4 self tapping screw)




Cable Gripper
(700226)



Joint Gripper
Bracket
(A67186-01)



Endcap/Center
Gripper Bracket
(A67989-01)



Joiner Bracket Light
Blocker Assembly

Joiner (A65487-01)
Joining Screw (700309)
Light Blocker (A65788-01)
Mounting Screw (700355)











SHIPPED IN HARDWARE BAG



Extra Joining Screw
(700309)



Extra Gripper Bracket
Mounting Screw (72093)



DRIVER SERVICE

